

AS-6005 DOOR TRIM TAPE

**Page:** 1

Compilation date: 06/08/2018

Revision No: 0

Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

## Product name: AS-6005 DOOR TRIM TAPE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of substance / mixture: Butyl Tape

# 1.3. Details of the supplier of the safety data sheet

Company name: Alseal Marketing Sdn. Bhd.

Lot 2291, Jalan Kampung Baru,

Kampung Baru Sungai Buloh

Sungai Buloh

Selangor

47000

Malaysia

**Tel:** +603-61433808

Fax: +603-61578002

Email: info@alsealmarketing.com

# 1.4. Emergency telephone number

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

Hazardous ingredients:

# AS-6005 DOOR TRIM TAPE

### Page: 2

KAOLIN				
EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	1332-58-7	Substance with a Community workplace exposure limit.	-	30-50%
CARBON BLA	CK			
215-609-9	1333-86-4	Substance with a Community workplace exposure limit.	-	1-10%

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

# AS-6005 DOOR TRIM TAPE

# Page: 3

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

8.1. Control parameters

### Hazardous ingredients:

# KAOLIN

#### Workplace exposure limits:

#### **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL 2 mg/m<sup>3</sup> UK \_ -

# CARBON BLACK

UK 3.5 mg/m <sup>3</sup> 7 mg/m <sup>3</sup> -
--

### **DNEL/PNEC Values**

DNEL / PNEC No data available.

## 8.2. Exposure controls

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Solid

# Colour: Black

Evaporation rate: Not applicable.

AS-6005 DOOR TRIM TAPE

Oxidising:	Not applicable.		
Solubility in water:	Not applicable.		
Viscosity:	Not applicable.		
Boiling point/range°C:	Not applicable.	Melting point/range°C:	Not applicable.
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	Not applicable.
Autoflammability°C:	Not applicable.	Vapour pressure:	Not applicable.
Relative density:	Not applicable.	pH:	Not applicable.
VOC g/l:	Not applicable.		

9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

11.1. Information on toxicological effects

#### Hazardous ingredients:

### KAOLIN

ORAL RAT LD50 5000 mg/kg	
--------------------------	--

Toxicity values: No data available.

Symptoms / routes of exposure

Page: 4

### AS-6005 DOOR TRIM TAPE

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

# Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

**Page:** 5

AS-6005 DOOR TRIM TAPE

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.